



# EQUINE

## surefootmat®

“enhancing animal welfare under foot”


Sales Hotline: 1800 255 943 Email: [sales@rpsindustries.com.au](mailto:sales@rpsindustries.com.au)  
RPS Industries Pty Ltd - 8 Venture Way, Pakenham, Victoria 3810

Edition 5  
[www.surefootmat.com.au](http://www.surefootmat.com.au)

# Quick Reference Index

|                                             | PAGE    |
|---------------------------------------------|---------|
| ● <b>ProLite® Mat</b>                       |         |
| Technical Specifications .....              | 3       |
| Product in Focus .....                      | 4       |
| Applications .....                          | 5 & 6   |
| ● <b>SureCushion®</b>                       |         |
| Technical Specifications .....              | 7       |
| Product in Focus .....                      | 8       |
| Applications .....                          | 9       |
| Case Studies Shane Nichols Racing .....     | 10 & 11 |
| ● <b>Parade Mat®</b>                        |         |
| Technical Specifications .....              | 12      |
| Applications .....                          | 13      |
| Case Studies Hirsch Park .....              | 14      |
| ● <b>SureFoot® Mat</b>                      |         |
| Technical Specifications .....              | 15      |
| Applications .....                          | 16      |
| Case Studies Wyong Race Club .....          | 17      |
| Cranbourne Training Centre .....            | 18      |
| McEvoy / Mitchell Racing .....              | 19      |
| ● <b>Cloth Insertion</b>                    |         |
| Technical Specifications .....              | 20      |
| Applications .....                          | 21      |
| Case Studies McDonald Equestrian .....      | 22      |
| ● <b>SureFoot® Tailgate Mats</b>            |         |
| Technical Specifications .....              | 23      |
| Applications .....                          | 24      |
| Case Studies Transmend .....                | 25      |
| ● <b>Agri Ground Cell®</b>                  |         |
| Technical Specifications .....              | 26      |
| Applications .....                          | 27      |
| Case Studies Lindsay Park .....             | 28      |
| ● <b>SureCushion® One Piece Stable</b>      |         |
| Technical Specifications .....              | 29      |
| Case Studies Maffra Veterinary Clinic ..... | 30      |
| ● <b>Surestock Mat®</b>                     |         |
| Technical Specifications .....              | 31      |
| ● <b>Other Surfacing Products</b>           |         |
| SureGrip® Mat .....                         | 32      |
| Deluxe Tailgate Mat .....                   | 32      |
| ● <b>Showcase Installations</b>             |         |
| Horse Studs .....                           | 33 & 34 |
| Race Courses .....                          | 35 & 36 |
| Equine Complexes .....                      | 37      |
| Training Centres .....                      | 38      |
| Veterinary Clinics .....                    | 39      |

The **ProLite® mat** provides a safer surface underfoot, protecting the welfare of both animals and people.



### Code 3026 Technical Specifications

| Product            | 1.83 Mat                                                                                                         | 2.4 Mat      |
|--------------------|------------------------------------------------------------------------------------------------------------------|--------------|
| Thickness          | 15mm                                                                                                             | 15mm         |
| Length             | 1830mm                                                                                                           | 2400mm       |
| Width              | 1220mm                                                                                                           | 1000mm       |
| Weight             | 45kg per mat                                                                                                     | 50kg per mat |
| Material           | 50% Natural rubber   50% Reclaim Rubber   Vulcanised Closed Cell Rubber (Shore Hardness 65 +2)   (Density 5 mpa) |              |
| Method of fixing   | RPS concrete fasteners; steel fasteners or timber fasteners                                                      |              |
| Safety information | Non-hazardous   Non-dangerous   Low ignition source   Accelerant required to ignite   No leaching                |              |

### Environmental Benefits:

Being manufactured from reclaimed SBR / Natural tyre rubber, the **ProLite® mat** is a green product and reduces the carbon foot-print.

*The **ProLite®** mat's revolutionary diamond pattern design ensures a safer surface underfoot.*



### How the ProLite® mat solves the problem

1. It provides a soft and 'forgiving' surface that reduces impact and protects the hoof's soft tissue from unnecessary trauma and damage;
2. The unique diamond pattern helps provide a secure footing for the animals, significantly reducing the incidence of slippage and catastrophic tendon damage;
3. **ProLite®** mats are also quicker and easier to clean - saving valuable water and time.



### Slipping and Spreading

Asphalt, concrete or other unstable surfaces in equine facilities can be slippery and dangerous. Combined with the use of metal horse shoes it is a significant concern for operators. Impacts include:

- Potential injury to handlers when horses fall over
- Spreading as they attempt to get up which can cause catastrophic damage
- Destruction of the animal (replacement cost)
- Distress caused to other horses in the surrounding environment



### Easy Installation

**ProLite®** mats are easily installed over any concrete, metal or timber surface using our fixing products. Mats can be cut using a Stanley/utility knife.

### A Good Investment

**ProLite®** mat is a simple, yet powerfully effective product that helps operators maintain a high level of safety without the need for ongoing management or intervention.

Once installed, **ProLite®** mats continue to deliver financial and facility management benefits for many years.

### Cleaner Environment

The use of **ProLite®** mats provides exceptional improvement for a cleaner environment. The level of dust from dirty surfaces and the harbouring of harmful bacteria is eliminated.

### Hard Wearing Rubber Compound

The **ProLite®** mat is manufactured using a hard wearing and extremely durable rubber compound which has been especially formulated for this purpose. The compound blend of recycled and new virgin rubbers also features superior shock absorbing properties which provides outstanding protection for animals.

### Applications:

- Wash bays
- Horse walkers
- Tie up areas
- Breezeways
- Transport



*Horse Walker - Jason Warren*



*Tie Ups*



*Wash Bay - Tony McEvoy*



*Transport - Julien Welsh*



*Breezeway*



*Horse Walker - Richie Cully*



**Tunnels**



**Horse Walker**



**Walkway / Washbays**



**Breezeway**





**Tie Ups**



**Transport**



The **SureCushion® mat** provides exceptional cushioning and durability, and dramatically improves your animal's welfare under foot.



| Code 3013 | Technical Specifications       |
|-----------|--------------------------------|
| Thickness | 25mm                           |
| Width     | 1830mm x 1220mm x 25mm         |
| Width     | 2000mm x 1000mm x 25mm         |
| Weight    | 45kg                           |
| Material  | Reclaimed SBR & natural rubber |

*The **SureCushion® mat** is the pinnacle for animal comfort and improves your animal's welfare underfoot.*



#### Benefits:

- Greater animal comfort - provides a soft and warm floor that insulates your horse against cold and dampness.
- Eliminates bedding which can generate harmful dust and costly man hours in mucking out stalls. Bedding can also be displaced leaving exposed floors.
- Unique design allows for exceptional drainage, cushioning and superior ventilation and inhibits bacteria growth.
- High quality rubber compound which is incredibly long lasting.

#### Environmental Benefits:

Being manufactured from reclaimed SBR/ Natural tyre rubber, the **SureCushion® mat** is a 'green' product and reduces the carbon foot-print.

#### Applications:

- Horse Stables
- Exercise Areas
- Vet Bays
- Transport





*Stables - After*



*Stables*



*Stables*



*Transport*



*Transport*



**Stables** - Golden Plains Veterinary Clinic




**Holding Yards** - Golden Plains Veterinary Clinic



**Stables** - Equestrian Complex



**Stables** - Equestrian Complex



**Stables** - Yulong Stud (glued)



**Stables** - Yulong Stud (glued)

## Shane Nichols Racing



Shane Nichols is a race horse trainer who recently relocated to a new facility in Mornington VIC, where he trains approximately 26 horses at one time.

Upon moving, there was a 20 box stable complex, wash bay, horse walker and round yard that had to be completed.

After being contacted by our RPS Representative, Shane wanted to give his horses the best possible comfort and support which lead him to invest in our rubber matting. This gave them the chance to perform to the best of their ability on race days.

The new concrete flooring in the stables just didn't cut it, so the **SureCushion® mats** were installed providing the horses with added comfort and insulation against the cold. With less bedding needed, there was less mucking out each day and the mats started to pay for themselves straight away. The cushioned feet underneath the **SureCushion® mats** provide aeration and drainage whilst also reducing stress on tendons.

### Shane had this to say;

*RPS provided me with the **Sure Cushion® mat**, I was pleasantly **surprised how much comfort they gave my horses**. It didn't take long before they started to pay for themselves as we use a lot less bedding and labour was reduced dramatically. I feel comfortable knowing that my horses have secure footing when using the **SureFoot® mat** in the walker and wash bay.*

*Overall I am pleased with the products and services provided and wouldn't hesitate to recommend them and their products to others"*





The wash bay was another problem area, again with the new concrete it became slippery when wet. RPS Industries provided Shane with the **SureFoot® mat**, the unique diamond pattern and non-slip surface helped provide a more secure footing so the chance of injury was dramatically reduced.

The **SureFoot® mat** was also installed for the horse walker where it is pivotal to have the durability and strength to combat the repetitious tracking of the horses. With the mats being fastened down there is less chance of friction, hence longer wear out of the mat.

With everything in place, the round yard was last to be completed. RPS provided 7.5mm smooth Cloth Insertion around the perimeter. This provides the safety of both horse and handler whilst keeping the sand within the boundary of the round yard.

For an added service we installed **SureFoot® mats** in the horse truck to provide a quality mat against the pouring of horses on those long trips to the races.

*SureFoot® Parade Mat® promotes for a more “natural gait and movement” under foot.*



#### Applications:

- Parade areas
- Breezeways
- Tie Up areas
- Transport

#### Benefits:

- ‘Greater animal comfort’ - provides a soft and forgiving surface that reduces impact and protects the hoof’s soft tissue from unnecessary trauma damage.
- ‘Easy to Clean’ which saves valuable water and costly labour time.
- ‘Promotes an even stride’ allowing for horse and handler to parade with a more natural gait.
- ‘Easy Installation’ the moulded countersunk holes provide a simple and effective solution for fastening your mats.
- ‘High quality 100% recycled rubber’ compound ensures mat longevity and is supported by a 3 year warranty.

#### Code 3032 Technical Specifications

|                           |                                                         |
|---------------------------|---------------------------------------------------------|
| <b>Thickness</b>          | 15mm                                                    |
| <b>Length</b>             | 2000mm                                                  |
| <b>Width</b>              | 1000mm                                                  |
| <b>Weight</b>             | 45kg                                                    |
| <b>Material</b>           | 100% Natural Rubber and Reclaim Rubber                  |
| <b>Installation holes</b> | 12 per mat                                              |
| <b>Method of fixing</b>   | Concrete fasteners; steel fasteners or timber fasteners |



**Breezeway**



**Crush area**




**Breezeway**



**Stable complex**



**Horse walker**



**Horse walker**

## Hirsch Park



Hirsch Park is an all-round training and stud complex. Eddie Hirsch, the co-founder of United Petroleum owns the 133-acre Tylden training property located 85 kilometres northwest of Melbourne has its own grass and synthetic track and boxes for 80 horses.

He has also acquired the existing Woodside Park Stud complex down the road with a world-class thoroughbred operation in Victoria operating on approximately 400 acres of quality pasture. One of Victoria's largest breeding operations, they are proud to stand six outstanding prospects for the upcoming breeding season.

Shaun Croxford property manager has had a long relationship with the team at Surefoot matting. Along with Eddie they oversee daily requirements needed to keep these world class facilities in top order. Hence the variety of work and money that has been generated into the property.

Stable yards required our **Surecushion®** matting to help reduce shavings and cut down on labour.

The Stud complex installed a new horse walker where we secured our **Pro-Lite®** mats to the walkway stopping any issues of slippage whilst giving them good balance and security.

Our company used 10mm **Textured Cloth insertion** for the stallion parade area. Giving the potential buyers a good look at their stallions walk/gait.

The training centre needed a non-slip mat to be installed on some very undulating dangerous asphalt areas. We were able to provide Hirsch Park with our unique **SureGrip®** mat that have 10mm raised lugs allowing for excellent grip whilst allowing vehicles to drive over.






The last project we encountered was a very slippery wash and breezeway area where the trainers work out of each morning. The wash bays were installed with our **Pro-Lite®** mats with a non-slip profile allowing for good drainage and security.

The Breezeway allowed us to use our new **Parade mat®** that gives the employees an easy job of cleaning up after the horses. The **Parade mat®** is very attractive and has the same non-slip rubber compound with natural rubber to be a hard-wearing versatile mat.

**Hirsch Park- Operations manager Shaun Croxford.**

The **SureFoot® mat** is ideally suited for use in those extreme conditions when slippage may occur.



**Benefits:**

- The larger diamond pattern helps provide a secure footing in and around wet areas and steep inclines, reducing slippage.
- The **Surefoot® mat** is manufactured using a hard wearing and extremely durable rubber compound which has been especially formulated for this purpose. The compound blend of recycled and new virgin rubbers also features superior shock absorbing properties which provides outstanding protection for animals.



| Code 3009          | Technical Specifications                                |
|--------------------|---------------------------------------------------------|
| Thickness          | 18mm                                                    |
| Length             | 1830mm                                                  |
| Width              | 1220mm                                                  |
| Weight             | 50kg per mat                                            |
| Material           | Rubber (shore hardness 65+2)                            |
| Installation holes | 16 per mat                                              |
| Method of fixing   | Concrete fasteners; steel fasteners or timber fasteners |



**Washbays**



**Horse Walkers**



**Pool Entrance**



**Ramps**




**Tunnels**



**Ramps**

Wyong Racing Club - Pool surrounds



SUREFOOT®  
MAT

## Cranbourne Training Centre - Matting in Underpass



**Cranbourne Training Centre** the largest Horse training facility in the Southern Hemisphere accommodates up to 800 horses per day.

An underpass which leads horses onto the centre of the ground previously had some old matting which was made up of laid pieces. These rubber pieces moved around, provided trip points, and were often slippery particularly when wet which made the underpass unsafe.

The facility considered several options and had some specific requirements, mainly the surface needed to be rubber and easy to clean.

For some years **SureFoot®** rubber matting products had been used in other areas of the facility and therefore was approached to forward a proposal on a suitable product for this application.

**Simon Hodgson Tracks & Facility Manager** had this to say;

*"It's normally very difficult to get projects up and running, but working with **SureFoot®** was fantastic. They worked around us and met the timeframes we needed to stay to."*

*When you've potentially got about \$80 million of thoroughbred racehorses training around here, if one slips and does a tendon it makes it a very expensive mistake.*

*It was costing us about \$40,000 per year to sand the tunnel to stop slipping, but now with **SureFoot®** matting I'm saving that money and more importantly, the riders and horses are safer.*

*I couldn't be happier with the project outcome and have recommended **SureFoot®** to others".*



Based on the experience and success of **SureFoot®** mats Cranbourne Training Centre installed a trial area. The mats provided immediate improvement by eliminating the slippery surface as well as any drainage problems associated with sand which was previously spread over the existing mats for traction and in turn, blocked up the drains.

From this positive outcome Cranbourne Training Centre engaged RPS to complete the entire area of 1000 sq.m. in the **SureFoot®** mat.

Since the installation the feedback from riders has been unquestionably good and the cleaning of the surface has taken significantly less time and without clogging up drains.

## McEvoy Mitchell Racing



Kildalton Park is a multi-faceted state-of-the-art training facility located in Angaston in the heart of the Barossa Valley. It is home to **McEvoy Mitchell Racing** and accommodates up to 80 racing thoroughbreds.

The horses that are trained within the complex represent a substantial investment to the owners and shareholders and providing a safe and progressive environment for both the animals and facility staff is paramount in the complex's commitment in protecting these assets.


The undulating topography of the centre presented some challenges, particularly in wet weather when the surfaces were prone to becoming slippery.

**Spokesperson Dave Gordon – had this to say;**

*“SureFoot® matting provided an outstanding solution to a horse welfare and work health safety risk when we used it to recommission a steep bitumised path that had become slippery due to wear.*

*With SureFoot® matting both horse and handler can now access the route with confidence.”*


*The proactive approach of McEvoy Mitchell Racing in the installation of the SureFoot® Equine mat has ensured that the potential risk to horses and handlers has been substantially reduced.*



**McEvoy Mitchell Racing** became aware of the **SureFoot® mat** through their association with the Morphettville Race Course. They were impressed with the quality of the **SureFoot®** matting which RPS had installed at the racing club and initially contacted RPS to enquire about matting for their training pool.

During the consultation process, a potentially hazardous area between the stables and walker was identified and in accordance with their risk management strategy, a decision was made to install the **SureFoot® mat**. The result has been increased traction, smoother transition between areas and reduced risk to staff and horses.

*A durable, anti-slip **cloth insertion** roll which provides maximum traction and cushioning. Protects animals and humans from stress injuries associated with standing for long periods of time.*



## Benefits:

- Provides a cushion that protects animal and human joints and ligaments from stress injury
- Anti-slip design to reduce the risk of slipping and falling
- Non-porous so will not absorb fluids, nor support bacteria growth. It's also very easy to clean
- Long length rolls to reduce the need for butt joins
- Also comes in a hammertop finish for a cleaner surface

## Applications:

- Breezeways
- Horse Floats
- Parade Rings
- Wash Bays

## TECHNICAL SPECIFICATIONS

| Code       | Thickness    | Patterns  | Widths        | Lengths |
|------------|--------------|-----------|---------------|---------|
| 2001/-2    | 4.5mm        | Smooth    | 1.2m          | 20m     |
| 2102/-2104 | 6mm          | Smooth    | 1.2m and 1.5m | 20m     |
| 2005/-2006 | 6mm          | Textured  | 1.65m and 2m  | 10m     |
| 2007/-2008 | 6mm and 10mm | Hammertop | 2m            | 20m     |
| 3010B      | 10mm         | Textured  | 2m            | 20m     |



**Wash Bays** - Smooth Cloth Insertion



**Walling** - Smooth Cloth Insertion




**Vet Room** - Textured Cloth Insertion



**Exit Ramps** - Textured Cloth Insertion



**Breezeway** - Hammertop Cloth Insertion



**Stable Complex** - Textured Cloth Insertion

## McDonald Equestrian



To complete their new 'state of the art' stable complex, **McDonald Equestrian** extensively searched for a surfacing company which understood their specific purpose of the application.

The McDonald's own large horses competing at a high level, which require great comfort and support under foot. Especially after events when there is an increased chance of aching limbs, the comfort of soft yet durable flooring is critical to the horse's recovery.

After being referred, the McDonalds contacted us for a solution for their stable complex. As a specialized surfacing provider to the equine industry, we understood the McDonald's requirements and were able to recommend surfacing to fit the specific applications within the stable complex.

### The McDonald's had this to say;

*"We contacted several companies about flooring, but we felt they didn't have the product(s) specific to our purpose. After speaking with the team we knew they understood the purpose of each application and had the solution to suit our stable."*

**SureFoot®** was flexible and made it work. They spent a lot of time making it perfect which is exactly what we wanted. During the installation they were flexible and responded to our needs. They also made further recommendations.

Now after several months of use, **SureFoot®** surfaces have met our expectations. The complex and wash bay are used every day, and I would absolutely recommend them to friends and other people".



The challenge with the McDonald's stable was to provide a surface solution to suit each application within the stable complex. After discussion with the McDonalds, we recommended a different surface for each area of the complex.

The **SureCushion®** mat which provides exceptional comfort and warmth was recommended and fitted in the stalls. The **SureFoot®** mat, ideally suited to areas where slipping is a concern, was placed in the wash bay. This mat provides the horses with greater confidence when being washed and reduces the chance of horses falling over and causing injuries. The final and remaining area was covered with the highly durable and anti-slip 'equine insertion' matting. This forgiving and non-slip surface offers durability to outlast other surfaces of its kind.

# SureFoot® Tailgate Mats Technical Specifications

The **SureFoot® Tailgate mat** is the ultimate in tailgate mats and offers both premium quality and appearance. This attractively ‘designed’ mat is hard wearing and durable. It provides maximum traction and safety during floating for both horses and handlers...

The unique ridged design of the **SureFoot® Tailgate mat** ensures your horse remains ‘surefooted’ during floating - protecting both animal and handlers.

**Applications:**

- Horse Floats
- Goose Necks
- Horse Trucks
- Ramps



**Benefits:**

- Anti-slip ridging provides outstanding traction for horses which means less spooking and increased safety for animals and handlers
- Non-porous so will not absorb fluids, nor support bacteria growth. It’s also very easy to clean.
- High quality rubber compound which is incredibly long lasting and attractive.
- A single piece can be applied avoiding the need for time wasting butt joins.

**Environmental Benefits:**

Being manufactured from reclaimed SBR/natural tyre rubber, the **SureFoot® Tailgate mat** is a ‘green’ product and reduces the carbon foot-print.

| Code 3019 | Technical Specifications |
|-----------|--------------------------|
| Thickness | 20mm Ridge               |
| Width     | 2000mm                   |
| Length    | 1500mm                   |
| Hardness  | 5MPA                     |
| Material  | Rubber                   |



**Loading Bay Ramp - First Point International Airport**



**Horse Float Tailgate**



## Transmend Floats, Trucks and Trailers



**Transmend Floats, Trucks and Trailers** are a family owned and operated business which not only manufactures custom built and quality floats and trailers but also undertakes smash-repairs, conversions and refurbishment of existing carriers.

Using only the best steel and finishing products available Transmend trailers are attractive, strong and durable. Phil and Sue take great care in ensuring that every vehicle to leave the factory floor is of premium standard and safe for both horses and humans.

**Sue Sporys, joint owner of Transmend Floats Trucks and Trailers had this to say;**

*"We chose **SureFoot®** products because of the quality..."*

*The team are very efficient and provides good customer service... the products look nice and they do the job!*

*We'll continue to use **SureFoot®** matting moving forward and are more than happy to recommend the product to others."*




In her search for a quality rubber matting product which was to be **used in around 80% of the trailers produced**, Sue found **SureFoot®** matting via the internet and subsequently contacted us for further information and advice.

Impressed with the quality products, the expert advice and the customer service, Sue chose our matting products over other brands because of the superior quality. From this, a strong and lasting business alliance was formed and Sue commented that she has found *"the Company's approach and solution-focused recommendations to be 'wonderful'."*

**No Concrete? No Problem!** The **Agri Ground Cell®** System enables you to gain all the benefits of the patented **SureFoot®** mat without having to first lay a concrete base.



150mm specially designed ground screw for secure fixing.



The **Agri Ground Cell®** System can be installed directly over dirt and is specifically designed to provide a practical, durable and cost-effective solution for high traffic pressure points such as laneways and breezeways.

### Benefits:

- Enhances animal welfare and reduces lameness
- Easy to install, maintain and clean
- Prevents erosion in high traffic areas
- Cost effective - no need to lay a concrete base
- Reduces cross contamination between surface areas
- Excellent load bearing capacity

### Applications:

- Laneways
- Crossovers
- Wash bays
- Day yards
- Stables

### Technical Specifications

|                |                     |
|----------------|---------------------|
| Thickness      | 50mm                |
| Width          | 500mm               |
| Length         | 600mm               |
| Crush strength | 225t/m <sup>2</sup> |

An 'easy-fix' to a difficult problem . . .



The **Agri Ground Cell®** System - it's cost effective and it works!



**Laneways - Before**



**Laneways - After**



**Stable Complex - Entrance**



**Stable Complex - Entrance**



**Stable Complex - With ProLite® matting**



**Stable Complex - With ProLite® matting**

## Lindsay Park Racing - Euroa



*Excavation*



*Laying Ground Cell*



*Infill of Ground Cell*



*After compaction*



*Completion with **Surefoot®** mats*



Technical Specifications



The **SureCushion® One Piece Stable** using our innovative 100% Polyethylene Foam Shock Pad which doesn't absorb moisture. When combined with it's Geotextile top will provide the cushioning and comfort needed for the wellbeing of horses that may be lame or in need of rest.

Our **SureCushion® Cloth Insertion Rubber** is entirely glued down for added support and provides the durability needed for a "One Piece Stable".

Characteristic Benefits:

- Thermal and vibration insulation
- Highly durable
- Impact protection
- Lightweight
- Recycled green product reducing carbon footprint

| Code 3525 | Technical Specifications |
|-----------|--------------------------|
| Thickness | 23mm, 35mm and 45mm      |
| Width     | 900mm                    |
| Length    | 2250mm                   |
| Material  | 100% recycled PPE        |

Applications:

- Stables
- Veterinary Clinics

## Maffra Veterinary Clinic



*Before installation*



*Installation of Shock Pad*



*Completion of Shock Pad*



*Laying of Cloth Insertion*



*Completion of flooring*



*After installation*

*SureFoot® Surestock Mat® provides comfort for animals and workers, and reduces damage to floor and vehicle trays.*



**Applications:**

- Tie ups
- Stables
- Walkways
- Transport

**Benefits:**

- ‘Greater animal comfort’ - provides a soft and forgiving surface.
- ‘Surface Protection’ which reduces damage to floors and vehicle trays.
- ‘Easy to clean’ which saves valuable water and costly labour time.
- ‘Use less shavings’ and in turn reduced time and cost to clean out.
- ‘Non porous / absorbing’ means no bacteria build up and no effect on animal’s health.
- ‘High quality 100% recycled rubber’ compound ensures mat longevity and is supported by a 3 year warranty.

| Code 3028          | Technical Specifications                                                          |
|--------------------|-----------------------------------------------------------------------------------|
| Thickness          | 17mm                                                                              |
| Width              | 1830mm                                                                            |
| Length             | 1220mm                                                                            |
| Weight             | 40kg                                                                              |
| Material           | 100% Recycled Rubber                                                              |
| Safety Information | Non-hazardous   Low ignition source   Accelerant required to ignite   No leaching |



## Other Surfacing Applications



### SureGrip® - MAT

#### Code 3029 Technical Specifications

|           |              |
|-----------|--------------|
| Thickness | 20mm         |
| Length    | 1830mm       |
| Width     | 1220mm       |
| Weight    | 50kg per mat |

#### Characteristic Benefits:

- Exceptional grip
- Reduces slipping
- Easy to clean

#### Applications:

- Ramps
- Tailgates
- Inclined areas



### Deluxe Tailgate - MAT

#### Code 3017 Technical Specifications

|           |              |
|-----------|--------------|
| Thickness | 12.7mm Ridge |
| Width     | 2135mm       |
| Length    | 1526mm       |
| Hardness  | 5MPA         |

#### Benefits:

- Specifically designed for tailgates
- Non slip

# Showcase Installations

## Horse Studs



MUSK  
CREEK  
FARM

Musk Creek Farm-Stud - Horse Walker - **Pro-Lite®** mat



**ROSEMONT**  
Breeding Brilliance.

Rosemont Stud - Horse Walker - **Surefoot®** mat and **Pro-Lite®** mat



SWETTENHAM  
STUD

Swettenham Stud  
- **Cloth Insertion**  
Rubber

# Showcase Installations

## Horse Studs



Arrowfield Stud horse walker using **Parade Mat®**



Hirsch Park - Laneway ramp using **SureGrip® Mat**



Yulong Stud - Stables using **SureCushion®** mats glued

## Race Courses



Murray Bridge  
Racing Club

Murray Bridge Racing Club -  
Breezeway using **Pro-Lite®** mats



SANDOWN PARK

A Jockey Club Racecourse

Sandown Racing Club  
- Asphalt Ramp using  
**Pro-Lite®** mats



Mornington **Racing** Club

Mornington Racing Club -  
Tie-Ups using Hammertop  
and Smooth **Cloth Insertion**

# Showcase Installations

## Race Courses



Murray Bridge  
Racing Club

Murray Bridge Racing Club -  
Tunnel using **Surefoot®** mats



Wyong Racing Club - Horse  
Pool using **Surefoot®** mats



WARWICK  
FARM

Warwick Farm Turf Club -  
Underpass using **ProLite®**  
mats



## Equine Complexes



*Inglis Sales Complex - Using **Pro-Lite®** mats*



*Sylvan Lodge - Stable Complex, using Hammertop Cloth Insertion, **Pro-Lite®** mats and **SureCushion®** mats*



*Equine Train Complex - Using **Pro-Lite®** mats*

## Training Centres



*Ciaron Maher Racing Stables  
using **SureCushion®** mats*



*Godolphin Complex - Wash  
Bays using **Surefoot®** mats*





*Jason Warren Racing -  
Horse Walker using **ProLite®**  
mats*

## Veterinary Clinics

**SEYMOUR**  
EQUINE CLINIC

*Seymour Equine Clinic  
- Crush area using Cloth  
Insertion matting*



**Golden Plains Animal Hospital**

*Golden Plains Veterinary - Day  
yard using **SureCushion®** mats*

**South Eastern**



**Equine Hospital**

*South Eastern Equine  
Hospital - Examination  
area using **Cloth Insertion**  
matting*





**Sales Hotline: 1800 255 943** Email: [sales@rpsindustries.com.au](mailto:sales@rpsindustries.com.au)  
RPS Industries Pty Ltd - 8 Venture Way, Pakenham, Victoria 3810

**RPS**  
INDUSTRIES  
[www.surefootmat.com.au](http://www.surefootmat.com.au)